Examiner-Initiated Interview Summary	Application No.	Applicant(s)
	10/684,986	LAKE, JOHN M.
	Examiner	Art Unit
	Oanh Duong	2155
All Participants:	Status of Application:	
(1) <u>Oanh Duong</u> .	(3)	
(2) Joseph T. Van Leeuwen (Registration No. 44,383).	(4)	
Date of Interview: <u>12 October 2006</u>	Time:	
Type of Interview:	ant's representative)	
ir res, provide a brief description.		
Part I.		
Rejection(s) discussed:	•	
Claims discussed:		
Prior art documents discussed:		
Part II.		•
SUBSTANCE OF INTERVIEW DESCRIBING THE GENE Examiner suggested applicant(s) to amend claims (see attache		
Part III.	,	
 ☑ It is not necessary for applicant to provide a separate directly resulted in the allowance of the application. The of the interview in the Notice of Allowability. ☐ It is not necessary for applicant to provide a separate did not result in resolution of all issues. A brief summand 	ne examiner will provide a writ	ten summary of the substance e interview, since the interview
Jalrice L. Winder PATRICE WINDER PRIMARY EXAMINER		·
(Examiner/SPE Signature) (Applican	nt/Applicant's Representative S	Signature – if appropriate)

1. (Currently Amended) A computer-implemented method of managing instant messenger list[[s]], said method comprising:

selecting, by a user, one or more calendar entries from an electronic calendar that corresponds to a user, wherein the selected one or more calendar entries appear highlighted;

retrieving, from the selected one or more calendar entries, calendar data that includes contact data for a plurality of contacts of the selected one or more calendar entries;

receiving, from one or more computerized sources, contact data corresponding to a plurality of contacts;

adding the received retrieved contact data to [[a]] the buddy instant messenger list associated with a user's an instant messaging computer application used by the user;

selecting one of the contacts added to the user's buddy instant messenger list;

establishing an instant messaging session with the selected contact; creating [[a]] one or more buddy groups within the user's buddy instant messenger list by automatically adding the contacts to the one or more buddy groups, wherein the created one or more buddy groups corresponds to [[a]] the selected one or more calendar entries entry from an electronic calendar corresponding to the user;

storing the retrieved contact data in the one or more buddy groups, wherein the contact data received includes the contacts' information;

identifying that at least one of the contacts added to the user's instant messenger list is a temporary contact;

storing an expiration date corresponding to each of the temporary contacts;

periodically comparing a current date to the expiration dates stored for the temporary contacts; and

in response to the comparison, removing the contact data corresponding the temporary contacts when the expiration date has occurred.

prior to the reception of the contact data:

selecting the calendar entry from the user's electronic calendar; and retrieving, from the selected calendar entry, calendar data that includes participant information for participants of the selected calendar entry; and subsequent to the reception of the contact data:

storing the received contact data in the buddy group, wherein the contact data received includes the participant information.

- 2. (canceled)
- 6. (canceled)
- 9. (Currently Amended) An information handling system comprising:

one or more processors;

a memory accessible by the one or more processors;

a network interface connecting the information handling system to a computer network;

a software tool for managing <u>an</u> instant messenger list[[s]], the software tool including software <u>embedded in the memory, when executed by the processor, effective to:</u>

select, by a user, one or more calendar entries from a user's electronic calendar, wherein the selected one or more calendar entries appear highlighted;

retrieve, from the selected one or more calendar entries, calendar data that includes contact data corresponding to a plurality of contacts of the selected one or more calendar entries;

receive, from one or more computerized sources, contact data corresponding to a plurality of contacts;

add the received retrieved contact data to [[a]] buddy the instant messenger list associated with a user's instant messaging computer application used by the user;

select one of the contacts added to the user's buddy instant messenger list; and

establish an instant messaging session with the selected <u>one of the</u> contacts;

create [[a]] one or more buddy groups within the user's buddy instant messenger list by automatically adding the contacts to the one or more buddy groups, wherein the created one or more buddy groups corresponds to [[a]] the selected one or more calendar entries entry from an electronic calendar corresponding to the user;

store the retrieved contact data in the one or more buddy groups, wherein the contact data received includes the contacts' information;

periodically compare a current date to expiration dates stored for temporary contacts; and

in response to the comparison, remove the contact data corresponding the temporary contacts when the expiration date associated with the has occurred.

prior to the reception of the contact data:

retrieve, from the selected calendar entry, calendar data that includes participant information for participants of the selected calendar entry; and

subsequent to the reception of the contact data:

store the received contact data in the buddy group, wherein the contact data received includes the participant information.

- 10. (canceled)
- 14. (canceled)
- 17. (Currently Amended) A computer program product stored on a computer operable <u>storage</u> media for managing instant messenger list[[s]], said computer program product comprising software effective to:

selecting, by the user, one or more calendar entries from an electronic calendar that corresponds to a user, wherein the selected one or more calendar entries appear highlighted;

retrieving, from the selected one or more calendar entries, calendar data that includes contact data corresponding to a plurality of contacts of the selected one or more calendar entries;

receiving, from one or more computerized sources, contact data corresponding to a plurality of contacts;

adding the received contact data to a buddy an instant messenger list associated with a user's an instant messaging computer application used by the user;

selecting one of the contacts added to the user's buddy instant messenger list;

establishing an instant messaging session with the selected contact;

creating [[a]] <u>one or more</u> buddy groups within the user's <u>buddy</u> <u>instant</u> <u>messenger</u> list <u>automatically adding the contacts to the one or more buddy</u> <u>groups</u>, wherein the created <u>one or more</u> buddy groups corresponds to [[a]] <u>the</u> selected <u>one or more</u> calendar <u>entries</u> <u>entry from an electronic</u> <u>calendar corresponding to the user;</u>

storing the received contact data in the one or more buddy groups, wherein the contact data received includes the contacts' information;

identifying that at least one of the contacts added to the user's instant messenger list is a temporary contact;

storing an expiration date corresponding to each of the temporary contacts;

periodically comparing a current date to the expiration dates stored for the temporary contacts; and

in response to the comparison, removing the contact data corresponding the temporary contacts when the expiration date has occurred.

prior to the reception of the contact data:

selecting the calendar entry from the user's electronic calendar; and

retrieving, from the selected calendar entry, calendar data that includes participant information for participants of the selected calendar entry; and subsequent to the reception of the contact data:

storing the received contact data in the buddy group, wherein the contact data received includes the participant information.

- 18. (canceled)
- 22. (canceled)
- 25. (canceled)
- 26. (Currently amended) A computer-implemented method of managing instant messenger list[[s]], said method comprising:

selecting, by a user, one or more calendar entries from an electronic calendar that corresponds to a user, wherein the selected one or more calendar entries appear highlighted;

retrieving, from the selected one or more calendar entries, calendar data that includes contact data for a plurality of contacts of the selected one or more calendar entries;

creating [[a]] one or more buddy groups within [[a]] the user's buddy list by automatically adding the contacts to the one or more buddy groups, wherein the created one or more buddy groups corresponds to [[a]] the one or more selected calendar entries entry from an the electronic calendar corresponding to the user, and wherein the user's buddy list is associated with an instant messaging computer application;

identifying an expiration date of the buddy group, the expiration date derived from a date of the selected one or more calendar entries entry;

retrieving, from the selected <u>one or more</u> calendar <u>entries</u> entry, calendar data that includes contact data for participants of the selected <u>one or more</u> calendar <u>entry</u> <u>entries</u>;

storing the received retrieved contact data in the one or more buddy groups, wherein the contact data received includes the participant information;

periodically comparing a current date to the expiration date corresponding to the one or more buddy groups; and

removing the <u>one or more</u> buddy groups, including the contact data added to the <u>one or more</u> buddy groups, in response to the comparison.

- 27. (canceled)
- 28. (Currently amended) An information handling system comprising:

one or more processors;

a memory accessible by the one or more processors;

a network interface connecting the information handling system to a computer network;

a software tool for managing instant messenger list[[s]], the software tool including software effective to:

select, by a user, one or more calendar entries from an electronic calendar that corresponds to a user, wherein the selected one or more calendar entries appear highlighted;

retrieve, from the selected one or more calendar entries, calendar data
that includes contact data for a plurality of contacts of the selected one or
more calendar entries;

create [[a]] one or more buddy groups within a user's buddy list by automatically adding the contacts to the one or more buddy groups, wherein the created one or more buddy groups corresponds to [[a]] the selected one or more calendar entries entry from [[an]] the electronic calendar corresponding to the user, and wherein the user's buddy list is associated with an instant messaging computer application;

identify an expiration date of the buddy <u>one or more</u> groups, the expiration date derived from a date of the selected <u>one or more</u> calendar <u>entries</u> entry;

retrieve, from the selected <u>one or more</u> calendar <u>entires</u> <u>entry</u>, calendar data that includes contact data for participants of the selected <u>one or more</u> calendar <u>entry</u> <u>entries</u>;

store the received retrieved contact data in the one or more buddy groups, wherein the contact data received retrieved includes the participant information;

periodically compare a current date to the expiration date corresponding to the one or more buddy groups; and

remove the <u>one or more</u> buddy groups, including the contact data added to the <u>one or more</u> buddy groups, in response to the comparison.

- 29. (canceled)
- 30. (previously presented) A computer program product stored on a computer operable <u>storage</u> media for managing instant messenger list[[s]], said computer program product comprising software effective to:

selecting, by a user, one or more calendar entries from an electronic calendar that corresponds to a user, wherein the selected one or more calendar entries appear highlighted;

in response to the selecting step, retrieving, from the selected one or more calendar entries, calendar data that includes contact data for a plurality of contacts of the selected one or more calendar entries;

creating [[a]] one or more buddy groups within [[a]] the user's buddy list by automatically adding the contacts to the one or more buddy groups, wherein the created one or more buddy groups corresponds to [[a]] the one or more selected calendar entries entry from an the electronic calendar corresponding to the user, and wherein the user's buddy list is associated with an instant messaging computer application;

identifying an expiration date of the buddy group, the expiration date derived from a date of the selected <u>one or more</u> calendar <u>entries</u> entry;

retrieving, from the selected <u>one or more</u> calendar <u>entries</u> entry, calendar data that includes contact data for participants of the selected <u>one or more</u> calendar <u>entry</u> <u>entries</u>;

storing the received retrieved contact data in the one or more buddy groups, wherein the contact data received includes the participant information;

periodically comparing a current date to the expiration date corresponding to the one or more buddy groups; and

removing the <u>one or more</u> buddy groups, including the contact data added to the <u>one or more</u> buddy groups, in response to the comparison.